State of Ohio Food Inspection Report

_			Authority: Chapte	rs 3717 and	d 37°	15 Ohio	Revi	sed Code	9				
1	me of f	•	NDE #04400								Date		
_		DOLLAR STO	PRE #24183	☐ FSO ☑ RFE 2024226 04/15/2024						5/2024			
	dress 024 W/	APAKONETA A	AVENUE	City/State/Zip Code SIDNEY OH 45365									
	ense h		05 01110 11 0	Inspection Tin	oategory/Descriptive								
<u> </u>		OLLAR STORES		45	10 COMMERC						IAL CLASS 1 <25,000 SQ. FT.		
I		spection (check	****					Follow-up date (if required)			Water sample date/result		
	Standa	_) Variance Review Follow Up			/Up				(if required)		
Ш	Foodbo	rne 30 Day	☐ Complaint ☐ Pre-licensing ☐ Consu	Itation				11			11		
	- J F		FOODBORNE ILLNESS	RISK FACT	APS.	AND DII	BLIC	HEALTH	INTEDVE	NTIO	ue.		
	Mark de	signated complia	ance status (IN, OUT, N/O, N/A) for each number										
-			Compliance Status	red items. IN-	11 0011	ipitarice O	JI – NC				ed N/A = not applicable		
			Supervision		T' /T			npliance Sta					
_	_		Person in charge present, demonstrates knowledge	edge and	-			ature Cont	rolled for Sa	afety F	Food (TCS food)		
1	⊠ IN	□OUT □N/A	performs duties	leuge, allu	23	□ IN □		Proper date marking and disposition					
2	□IN	OUT N/A	Certified Food Protection Manager										
			Employee Health		24	⊠N/A □		Time as a	public health c	ontrol:	procedures & records		
3	DIN	OUT 🗷 N/A	Management, food employees and conditional	employees;		Consumer Advisory							
4	□IN	□OUT ※ N/A	knowledge, responsibilities and reporting Proper use of restriction and exclusion		25	□ IN □ ⊠N/A	OUT	Consumer	advisory provi	ded for	raw or undercooked foods		
5	□IN	⊠ OUT □ N/A	Procedures for responding to vomiting and dia	rrheal events			Н	iahly Susa	ceptible Pop	ulatio	ns		
			Good Hygienic Practices		00								
6	□IN	□OUT ⊠ N/O	Proper eating, tasting, drinking, or tobacco use		26	⊠N/A		Pasteurize	ed foods used;	prohibit	ed foods not offered		
7	□IN	OUT 🗷 N/O	No discharge from eyes, nose, and mouth		Chemical								
		Prev	enting Contamination by Hands		27		OUT	Food addi	tives: approved	and bi	operly used		
8	□IN		Hands clean and properly washed		-	⊠ N/A	LOUT						
9		□OUT □N/O	No bare hand contact with ready-to-eat foods of alternate method properly followed	or approved	28	⊠ IN □ □N/A			fied, stored, used				
10	-	OUT N/A	Adequate handwashing facilities supplied & ac					with Approv					
10			Approved Source	Cessinia	29		OUT				en Packaging, other		
11	IXIN	DOUT	Food obtained from approved source		-	IXIN/A	LOUT	specialized	d processes, ar	nd HAC	CP plan		
12	□IN	□OUT ☑ N/O	Food received at proper temperature		30	□ IN □ ⊠N/A □		Special Requirements: Fresh Juice Production					
13		□OUT	Food in good condition, safe, and unadulterate	d	31	□ IN □ ☑N/A □	OUT N/O	Special Requirements: Heat Treatment Dispensing Free					
14	_	□OUT □N/O	Required records available: shellstock tags, pa destruction	rasite	32	□ IN □ ⊠N/A □	OUT	Special Re	Processing				
	1811		otection from Contamination		-								
15	⊠IN □N/A	OUT N/O	Food separated and protected		33	IX N/A □	N/O				ter Machine Criteria		
16		□OUT □ N/O	Food-contact surfaces: cleaned and sanitized		34	□ IN □ 図N/A □		Special Re Criteria	equirements: A	cidified	White Rice Preparation		
17	⊠IN	□о∪т	Proper disposition of returned, previously serve reconditioned, and unsafe food	ed,	35	□ IN □ ☑N/A	OUT	Critical Co	ntrol Point Insp	ection			
	Tin	e/Temperatu	re Controlled for Safety Food (TCS foo	d)	36		OUT	Process R	eview				
18		□out □n/o	Proper cooking time and temperatures			⊠N/A	OUT	-	CVIGV				
19	□IN	□OUT □N/O	Proper reheating procedures for hot holding		37	⊠N/A		Variance					
20	□IN	OUT N/O	Proper cooling time and temperatures		Risk Factors are food preparation practices and employee behaviors that are identified as the most significant contributing factors to								
21	□IN	□OUT □N/O	Proper hot holding temperatures		P	odborne i I ublic hea odborne i	lth in	tervention	s are control	meas	ures to prevent		
22	X IN	□OUT □N/A	Proper cold holding temperatures		"	ounome i	ııı ıess	or injury.					

State of Ohio Food Inspection Report Authority: Chapters 3717 and 3715 Ohio Revised Code

Type of Inspection

Date

	_	DOLLAR STOR	W #24	103				sta		04/15/2024			
		- 4		- Y E 1	GOOD RETAI	L PF	RACTI	ICES	Term Luigh				
N	lark de	Good Retail P esignated complian	ractice ce stati	es are prev us (IN, OUT,	entative measures to control the introd N/O, N/A) for each numbered item: IN =	duction	on of pa	athogens, che	emicals, and physic	cal objects into food	S.		
					and Water				ils, Equipment ar		applicable		
38	□iN	OUT N/A	OUT XN/A N/O Pasteurized eggs used where required				-	contact surfaces cleans	able, prop	erlv			
39	⊠ IN	□OUT □N/A		Water and i	ice from approved source	54	LIN	⊠ OUT	designed, constructe		, [,	
Food Temperature Control Proper cooling methods used; adequate equipment							Warewashing facilities: installed, maintained used; test strips						
40	×IN	OUT N/A	_N/O	for tempera		56	⊠IN	OUT	Nonfood-contact sur	rfaces clean			
41	□IN	□OUT 図N/A	OUT N/A N/O Plant food properly cooked for hot holding			John		Physical Facilities					
42	□IN	□OUT 図N/A	N/A □N/O A		nawing methods used	57	⊠ IN	essure					
43 🗷 IN		N □OUT □N/A Th		Thermometers provided and accurate			⊠ IN	OUT	Plumbing installed; proper backflow devices				
Food Identification							□ _{N/A}	 \□N/O					
44 ☑IN ☐OUT Food properly labeled; original container							_				_		
			ntion		ontamination					Sewage and waste water properly disposed			
45	⊠ IN	□out		Insects, rod openings pr	dents, and animals not present/outer		Land Land Tomet (domition) property constructed, 30						
46	MIX	□оит		Contamination prevented during food preparation,		61	□IN 図OUT □N/A Garbage/refuse properly disposed; faci □IN 図OUT □ Physical facilities installed, maintained						
47		□OUT □N/A	_	storage & d		62		MO01	Physical facilities ins dogs in outdoor dinir	stalled, maintained, an	d clean;		
48		OUT MINA	N/O	Personal clet	ns: properly used and stored	63							
49		OUT KN/A		Washing fru	uits and vegetables	\vdash	_			ı and lighting; designat	ed areas	used	
				per Use of		64	LIN I	OUT 🗷 N/A	Existing Equipment	and Facilities			
50	□IN	OUT 🗷 N/A	N/O	In-use utens	sils: properly stored		3	Ware f	Administrati	ve	416.	34	
51	□IN	□OUT ⊠ N/A		dried, handl		65	XIN	OUT N/A	901:3-4 OAC				
52		stored, used			66	□IN I	OUT 🗷 N/A	3701-21 OAC					
53	Піи	OUT 🗷 N/A	` I N/O	Slash-resist	ant, cloth, and latex glove use								
			_									_	
à.					Observations and Co						M, (I)		
Itom	a Na	Code Section		Mark "X" in a	Observations and Coppropriate box for COS and R: COS = col				on R = repeat viola	tion			
Iten	n No.	Code Section			Observations and Conservations and Conservations and R: COS = conservations	rrected	d on-site	e during inspecti	on R = repeat viola	tion	cos	_	
Iten		Comment/ Obs		Mark "X" in a	Observations and Coppropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. Fi	rrected	d on-site	e during inspecti	on R = repeat viola	tion			
Iten				Mark "X" in a	Observations and Conservations and Conservations and R: COS = conservations	rrected	d on-site	e during inspecti	on R = repeat viola	tion		_	
Iten		Comment/ Obs		Mark "X" in a	Observations and Conservations and Conservations and Conservations and R: COS = conservations Comment Tile cracking around toilets in restrooms. Find the conservation Management and personnel: supervision.	Recom	d on-site	e during inspecti					
Iten		Comment/ Obs		Mark "X" in a	Observations and Coppropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. Fi	Recom	mend re	e during inspecti					
Iten	5	Comment/ Obs 3717-1-02.4(C)(17)		Mark "X" in a rity Level	Observations and Conservations and Conservations and Conservations and R: COS = conservation Comment Tile cracking around toilets in restrooms. Find the Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-	Recom	mend re	e during inspecti					
Iten	5	Comment/ Obs 3717-1-02.4(C)(17)		Mark "X" in a rity Level	Observations and Conservations and Conservations and Conservations and R: COS = conservation Comment Tile cracking around toilets in restrooms. Find the Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-	Recom	mend re	e during inspecti					
	5	Comment/ Obs 3717-1-02.4(C)(17)		Mark "X" in a rity Level	Observations and Control of the propriate box for COS and R: COS = control of the control of the propriate box for COS and R: COS = control of the control o	Recom	mend re	e during inspecti					
	5	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2)		Mark "X" in a rity Level NC	Observations and Control of the propriate box for COS and R: COS = color of Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, at Seal on left door of freezer is falling off. Pleacovering receptacles.	Recom	mend reicy. Plea justed	e during inspecti epair. ase locate and s	ubmit copy to our offic	ce via email.			
	5 54 61	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N)		Mark "X" in a rity Level NC NC	Observations and Coppropriate box for COS and R: COS = colon Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, as Seal on left door of freezer is falling off. Please to Covering receptacles.	Recom	mend reicy. Plea justed	e during inspecti epair. ase locate and s	ubmit copy to our offic	ce via email.			
	5 54 61	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2)		Mark "X" in a rity Level NC	Observations and Control of the propriate box for COS and R: COS = color of Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, at Seal on left door of freezer is falling off. Pleacovering receptacles.	Recom	mend reicy. Plea justed	e during inspecti epair. ase locate and s	ubmit copy to our offic	ce via email.			
	5 54 61	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N)		Mark "X" in a rity Level NC NC	Observations and Coppropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, as Seal on left door of freezer is falling off. Pleace Covering receptacles. Dumpster lids open upon arrival. Please kee Repairing.	rrected decommup pol and ad	mend residence icy. Pleasing justed epair.	e during inspecti epair. ase locate and s	ubmit copy to our office	ce via email.			
	5 54 61	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N)		Mark "X" in a rity Level NC NC	Observations and Coppropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, a seal on left door of freezer is falling off. Ple Covering receptacles. Dumpster lids open upon arrival. Please kee Repairing. Water stained ceiling tiles above door lead	rrected decommup pol and ad	mend residence icy. Pleasing justed epair.	e during inspecti epair. ase locate and s	ubmit copy to our office	ce via email.			
	5 54 61	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N) 3717-1-06.4(A)		Mark "X" in a rity Level NC NC NC	Observations and Compropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, as Seal on left door of freezer is falling off. Pleace Covering receptacles. Dumpster lids open upon arrival. Please keen Repairing. Water stained ceiling tiles above door lead for future monitoring of site.	Recommup polining addresses in the control of the c	mend residence in the control of the	e during inspecti epair. ase locate and s	ubmit copy to our office	ce via email.			
	5 54 61	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N)		Mark "X" in a rity Level NC NC	Observations and Coppropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, a seal on left door of freezer is falling off. Ple Covering receptacles. Dumpster lids open upon arrival. Please kee Repairing. Water stained ceiling tiles above door lead	Recommup polining addresses in the control of the c	mend residence in the control of the	e during inspecti epair. ase locate and s	ubmit copy to our office	ce via email.			
	5 54 61	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N) 3717-1-06.4(A)		Mark "X" in a rity Level NC NC NC	Observations and Compropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, as Seal on left door of freezer is falling off. Pleace Covering receptacles. Dumpster lids open upon arrival. Please keen Repairing. Water stained ceiling tiles above door lead for future monitoring of site.	Recommup political politic	mend residence in the second s	e during inspecti epair. ase locate and s prevent weather	ubmit copy to our office and vermin from scate ase repair leak and re	ce via email. ttering litter. place tiles to allow			
	5 54 61 62 62	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N) 3717-1-06.4(A)		Mark "X" in a rity Level NC NC NC	Observations and Coppropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, as Seal on left door of freezer is falling off. Pleacovering receptacles. Dumpster lids open upon arrival. Please kee Repairing. Water stained ceiling tiles above door lead for future monitoring of site. Maintaining premises - unnecessary items	Recommup political politic	mend residence in the second s	e during inspecti epair. ase locate and s prevent weather	ubmit copy to our office and vermin from scate ase repair leak and re	ce via email. ttering litter. place tiles to allow			
	5 54 61 62 62	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N) 3717-1-06.4(A)		Mark "X" in a rity Level NC NC NC NC	Observations and Coppropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-to-graphent components kept intact, tight, as Seal on left door of freezer is falling off. Pleace Covering receptacles. Dumpster lids open upon arrival. Please keen Repairing. Water stained ceiling tiles above door lead for future monitoring of site. Maintaining premises - unnecessary items Loose litter along north side of building and Lighting - intensity (20 FC)	Recommup political and additional and life and l	icy. Plea justed epair.	e during inspecti epair. ase locate and s prevent weather orage area. Plea	ubmit copy to our office and vermin from scale are repair leak and repose repose repair leak and repose	ce via email. ttering litter. place tiles to allow			
	5 5 61 62 62 63	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N) 3717-1-06.4(A) 3717-1-06.2(I)(2)		Mark "X" in a rity Level NC NC NC NC	Observations and Coppropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, as Seal on left door of freezer is falling off. Pleacovering receptacles. Dumpster lids open upon arrival. Please keepairing. Water stained ceiling tiles above door lead for future monitoring of site. Maintaining premises - unnecessary items Loose litter along north side of building and	Recommup political and additional and life and l	icy. Plea justed epair.	e during inspecti epair. ase locate and s prevent weather orage area. Plea	ubmit copy to our office and vermin from scale ase repair leak and repollect and properly display.	ttering litter. place tiles to allow spose of litter.			
	5 5 61 62 62 63	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N) 3717-1-06.4(A)		Mark "X" in a rity Level NC NC NC NC	Observations and Coppropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-to-graphent components kept intact, tight, as Seal on left door of freezer is falling off. Pleace Covering receptacles. Dumpster lids open upon arrival. Please keen Repairing. Water stained ceiling tiles above door lead for future monitoring of site. Maintaining premises - unnecessary items Loose litter along north side of building and Lighting - intensity (20 FC)	Recommup political and additional and life and l	icy. Plea justed epair.	e during inspecti epair. ase locate and s prevent weather orage area. Plea	ubmit copy to our office and vermin from scale ase repair leak and repolect and properly display.	ce via email. ttering litter. place tiles to allow			
Pers	5 5 54 61 62 62 63 63 ironm	Comment/ Obs 3717-1-02.4(C)(17) 3717-1-04.4(A)(2) 3717-1-05.4(N) 3717-1-06.4(A) 3717-1-06.2(I)(2)	Prio	Mark "X" in a rity Level NC NC NC NC	Observations and Coppropriate box for COS and R: COS = color Comment Tile cracking around toilets in restrooms. For Management and personnel: supervision. PIC could not locate vomit/diarrhea clean-tequipment components kept intact, tight, as Seal on left door of freezer is falling off. Pleace Covering receptacles. Dumpster lids open upon arrival. Please keen Repairing. Water stained ceiling tiles above door lead for future monitoring of site. Maintaining premises - unnecessary items Loose litter along north side of building and Lighting - intensity (20 FC) Light bulb out in right restroom. Please rep	Recommup political and additional and life and l	icy. Plea justed epair.	e during inspecti epair. ase locate and s prevent weather orage area. Plea	ubmit copy to our office and vermin from scale ase repair leak and repolect and properly display.	ttering litter. place tiles to allow spose of litter. Date 04/15/2024			

As per HEA 5302B The Baldwin Group, Inc. (11/19) As per AGR 1268 The Baldwin Group, Inc. (11/19)

Name of Facility