State of Ohio Food Inspection Report

| Authority: Chapt | ters 3717 and | d 371 | 5 Ohio | Revis | sed Code | 9 | | | |
|--|------------------|--------------------------------------|------------------------|------------|---|-------------------------------|--------------------------|---|--|
| Name of facility COURT STREET EXPRESS LLC | Check one | — | | | nse Number 024016 | | | 1/2024 | |
| Address 125 WEST COURT STREET | 1 ' | City/State/Zip Code SIDNEY OH 45365 | | | | | | | |
| License holder | Inspection Tim | ne | Travel T | ime | | Category/De | scriptiv | e | |
| COURT STREET EXPRESS LLC | 75 | 5 COMMERCIAL CLASS 3 <25,000 SQ. FT. | | | | | | | |
| Type of inspection (check all that apply) | | _ | | | | | Water sample date/result | | |
| Standard Critical Control Point (FSO) Process Review (RF | | Reviev | v L Follow | / Up | 11 | | | (if required) / / | |
| Foodborne 30 Day Complaint Pre-licensing Con | sultation | | | | | | | | |
| FOODBORNE ILLNESS | S RISK FACTO | ORS | AND PU | BLIC | HEALTH | INTERVE | NTIO | NS | |
| Mark designated compliance status (IN, OUT, N/O, N/A) for each num | bered item: IN = | in con | pliance O | UT = no | ot in complia | nce N/O = no | t observ | ed N/A = not applicable | |
| Compliance Status | | | | | | npliance St | | | |
| Supervision | e e e e e e | 100 | Time/Te | mper | ature Con | trolled for S | Safety F | Food (TCS food) | |
| 1 ☑IN ☐OUT ☐N/A Person in charge present, demonstrates knd performs duties | owledge, and | 23 | □ IN □ | OUT | T | te marking an | | | |
| 2 IN OUT N/A Certified Food Protection Manager | | | | | | | | | |
| Employee Health | , J. T T. T. | 24 | ⊠N/A □ | | Time as a public health control: procedures & records | | | | |
| 3 ⊠IN □OUT □N/A Management, food employees and condition | nal employees; | | | | Cons | umer Advis | sory | | |
| 4 🗷 IN OUT N/A knowledge, responsibilities and reporting | | 25 | □ IN □ |]OUT | Consume | r advisory pro | vided for | raw or undercooked foods | |
| 5 XIN OUT N/A Procedures for responding to vomiting and of | diarrheal events | | | Н | lighly Sus | ceptible Po | pulatio | ons | |
| Good Hygienic Practices | 12 - 1 - 1 C | | □ IN □ | | T | | | | |
| 6 ☑IN ☐OUT ☐N/O Proper eating, tasting, drinking, or tobacco | use | 26 | ⋉ N/A | | Pasteurize | ed foods used | ; prohibit | ted foods not offered | |
| 7 🗷 IN OUT NO No discharge from eyes, nose, and mouth | | | | | | Chemical | | | |
| Preventing Contamination by Hands | 21,032/0.84 | 27 | |] OUT | Food add | itives: approve | ed and p | roperly used | |
| 8 XIN OUT NO Hands clean and properly washed | | | × N/A × IN □ | 1 OUT | | | | | |
| 9 XIN OUT No bare hand contact with ready-to-eat food | ls or approved | 28 | N/A | 1001 | Toxic sub | stances prope | erly ident | ified, stored, used | |
| N/A N/O alternate method properly followed | | | | Conf | formance | with Appro | ved Pro | ocedures | |
| 10 IN FOUT N/A Adequate handwashing facilities supplied & | accessible | 29 | | OUT | | | | en Packaging, other | |
| Approved Source | | | IX N/A | | specialize | d processes, | and HAC | CCP plan | |
| 11 N OUT Food obtained from approved source | | 30 | IN [| | Special R | equirements: | Fresh Ju | ice Production | |
| N/A ເ⊗ N/O Food received at proper temperature | | 31 | | OUT | Special P | | Uset Tee | Advant Birmania Em | |
| 13 🗵 IN OUT Food in good condition, safe, and unadulter | ated | 31 | ⊠N/A □ | | Special K | equirements: | neat tre | atment Dispensing Freezers | |
| Required records available: shellstock tags, destruction | parasite | 32 | □ IN □ | OUT N/O | Special R | equirements: | Custom | Processing | |
| Protection from Contamination | | | □ in □ | OUT | | | | | |
| 15 ☑N/A ☑ N/O Food separated and protected | | 33 | ⊠N/A □ | N/O | - | | | ter Machine Criteria | |
| 16 ⊠IN ☐OUT Food-contact surfaces: cleaned and sanitize | ed | 34 | ⊠N/A □ |] N/O | Criteria | equirements. | Acidilled | White Rice Preparation | |
| 17 | erved, | 35 | □ IN □ ☑N/A |] OUT | Critical Co | ontrol Point Ins | spection | | |
| Time/Temperature Controlled for Safety Food (TCS fo | ood) | 36 | □ IN □ | OUT | Process F | Review | | | |
| 18 ☐IN ☐OUT Proper cooking time and temperatures | | 37 | ⊠N/A |] OUT | Variance | | | | |
| 19 ☐IN ☐OUT Proper reheating procedures for hot holding | | 3/ | ⊠ N/A | | Valiance | | | | |
| 20 IN OUT Proper cooling time and temperatures | | tl | lisk Factoriat are ide | entified | d as the mo | paration pra ost significa | otices a | and employee behaviors ibuting factors to | |
| 21 N NOUT Proper hot holding temperatures | | F | Public he | alth in | | ns are contro | ol meas | sures to prevent | |
| 22 NN NOUT N/A Proper cold holding temperatures | | " | | | - 5jury. | | | | |

State of Ohio Food Inspection Report Authority: Chapters 3717 and 3715 Ohio Revised Code

| Name of Facility COURT STREET EXPRESS LLC | | | | | | nspection | Date | | | | | |
|---|--------------------|---|---------------------|------------------------------|--|--|---|---|---|---|-----------|------|
| | | | | | sta | | 10/31/2024 | | | | | |
| | | | | | GOOD RETA | IL PF | RACTIC | ES | | | RIP | |
| \ \ \ | Mark de | Good Retail P | ractice ce stati | es are previ | entative measures to control the intro N/O, N/A) for each numbered item: IN = | ductio | n of path | ogens, che | micals, and physic | cal objects into foods | onlicable | |
| | LVE | | | afe Food a | | | | | ils, Equipment a | | pplicable | |
| 38 | □IN | OUT N/A |]N/O | Pasteurized | eggs used where required | | | | | contact surfaces cleanat | ole, prop | erlv |
| 39 | ⊠IN | □OUT □N/A | | Water and i | ce from approved source | 54 | □IN 🗷 | 1001 | designed, construct | | -/1 -1 | |
| | | | Food | l Temperat | ture Control | 55 | ⊠IN □ | OUT N/A | | ies: installed, maintaine | d, | |
| 40 | ⊠ IN | □OUT □N/A □ | Jn/o | Proper cooli | ing methods used; adequate equipment | 56 | ⊠ IN □ | OUT | used; test strips Nonfood-contact su | rfaces clean | | |
| 41 | IXIN | OUT N/A | ¬N/O | | properly cooked for hot holding | 00 | | 1001 | Physical Facili | | | |
| 42 | | OUT N/A | | | nawing methods used | 57 | XIN □ | OUT N/A | | available; adequate pres | ssure | |
| 43 | - | ⊠OUT □N/A | | | ers provided and accurate | 58 | ⊠IN □ | 1OUT | | proper backflow devices | | |
| | TEN. | | F | ood Identi | ification | " | | | i i i i i i i i i i i i i i i i i i i | propor buoknow device. | , | |
| 44 | □IN | ⊠ OUT | | Food proper | rly labeled; original container | _ | | | | | | |
| | 175 | Preve | ntion | of Food C | ontamination | 59 | | OUT N/A | | water properly disposed | | |
| 45 | ⊠IN | □оит | | | ents, and animals not present/outer | 60 | | OUT N/A | Toilet facilities: prop | perly constructed, supplied | ed, clean | ned |
| - | | | | openings pr | otected ion prevented during food preparation, | 61 | | OUT N/A | | perly disposed; facilities | | ned |
| 46 | | ⊠ OUT | | storage & di | isplay | 62 | | | Physical facilities in dogs in outdoor dini | stalled, maintained, and | clean; | |
| 47 | | OUT N/A | E N/O | Personal cle | | - | □N/A □ | | | | | _ |
| 48 | | OUT N/A | | | ns: properly used and stored ults and vegetables | 63 | ⊠IN □ | | Adequate ventilation | n and lighting; designate | d areas | used |
| 75 | | | | per Use of | | 64 | | OUT 🗷 N/A | Existing Equipment | and Facilities | | |
| 50 | ⊠ IN | OUT N/A | | | sils: properly stored | la l | | 11 286 | Administrat | ive | Trib) | |
| 51 | | OUT N/A | | | uipment and linens: properly stored, | 65 | XIN 🗆 | OUT N/A | 901:3-4 OAC | | | |
| 52 | | ⊠OUT □N/A | | | single-service articles: properly | | | | | | | |
| 53 | _ | OUT N/A | JN/O | stored, used Slash-resist | ant, cloth, and latex glove use | 66 | | OUT 🗷 N/A | 3701-21 OAC | 8 | | |
| | | | | | Observations and (| | nativo A n | | | | | 100 |
| | | | | | | | | | | | | |
| Ite | | | | Mark "X" in a | appropriate box for COS and R: COS = c | orrecte | d on-site d | uring inspect | ion K = repeat viola | ation | | |
| | m No. | Code Section | | Mark "X" in a | appropriate box for COS and R: COS = c Comment | orrecte | d on-site d | uring inspect | on R = repeat viola | ation | cos | R |
| | m No. 10 | Code Section 3717-1-05.1(O)(1) | | | | | | uring inspect | on R = repeat viola | ation | cos | B R |
| | | | | rity Level | Comment | | | uring inspect | on k = repeat viola | ation | | |
| | | | | rity Level | Comment | all tim | es | | | | | |
| | 10 | 3717-1-05.1(O)(1) | | C | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. | all tim | es ed by mops Il move ite | s, brooms, an | | | | |
| | | | | rity Level | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is | all tim | es ed by mops Il move ite | s, brooms, an | | | | |
| | 10 | 3717-1-05.1(O)(1) | | C | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for | all tim blocke PIC w | es d by mops Il move ite t holding. | s, brooms, an ms. | d personal items. Ple | ase ensure all hand | | |
| | 10 | 3717-1-05.1(O)(1) | | C | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety fo Pizzas in warmer are only 115-135 F due | blocke PIC wind - ho | es e | s, brooms, an ms. orking proper | d personal items. Ple | ase ensure all hand | | |
| | 10 | 3717-1-05.1(O)(1) | | C | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been work! | blocke PIC wind - hood - hood to war | es If move ite tholding. The mer not wo nit and has | s, brooms, an ms. orking proper s contacted h | d personal items. Ple ly. Please repair/repla | ase ensure all hand ace warmer so that air parts. Until | | |
| | 10 | 3717-1-05.1(O)(1) | | C | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety fo Pizzas in warmer are only 115-135 F due | blocke PIC wind - hood - hood to war | es If move ite tholding. The mer not wo nit and has | s, brooms, an ms. orking proper s contacted h | d personal items. Ple ly. Please repair/repla | ase ensure all hand ace warmer so that air parts. Until | | |
| | 10 | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) | | C | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been worki repaired, ensure pizzas are not held in undiscarded. | blocke PIC wind - ho to war | es If move ite Individual holding. In more than 4 | s, brooms, an ms. orking proper s contacted h | d personal items. Ple ly. Please repair/repla | ase ensure all hand ace warmer so that air parts. Until | | |
| | 21 | 3717-1-05.1(O)(1) | | C C | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been worki repaired, ensure pizzas are not held in un | blocke PIC wind - ho to war | es If move ite Individual holding. In more than 4 | s, brooms, an ms. orking proper s contacted h | d personal items. Ple ly. Please repair/repla | ase ensure all hand ace warmer so that air parts. Until | | |
| | 21 | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) | | C C | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been worki repaired, ensure pizzas are not held in undiscarded. | blocker PIC wind - ho to warning on unit for n | es If move ite I holding. The mer not we not and had nore than 4 I holding. | s, brooms, an ms. orking proper s contacted h | d personal items. Ple y. Please repair/repla funt Brothers for repa paking, at which point | ase ensure all hand ace warmer so that hir parts. Until they must be | | |
| | 21 | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) | | C C | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety fo Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been worki repaired, ensure pizzas are not held in ur discarded. Time/temperature controlled for safety fo | blocke PIC wind - ho to war ng on u it for n | es If move ite holding. mer not wo nit and ha hore than 4 d holding. | s, brooms, an ms. orking proper s contacted h hours after t | d personal items. Ple ly. Please repair/repla dunt Brothers for repair baking, at which point | ase ensure all hand ace warmer so that air parts. Until they must be | | |
| | 21 | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) | | C C | Comment Using a handwashing sink - accessible a Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been work is repaired, ensure pizzas are not held in undiscarded. Time/temperature controlled for safety for Berg cooler in kitchen reads 37-40 F on the | all tim blocke PIC w od - ho to war ng on t it for n od - co ne digi | es If move ite holding. mer not wo nit and ha hore than 4 d holding. | s, brooms, an ms. orking proper s contacted h hours after t | d personal items. Ple ly. Please repair/repla dunt Brothers for repair baking, at which point | ase ensure all hand ace warmer so that air parts. Until they must be | | |
| | 21 | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) | | C C | Using a handwashing sink - accessible at Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been worki repaired, ensure pizzas are not held in undiscarded. Time/temperature controlled for safety for Berg cooler in kitchen reads 37-40 F on the Please adjust/repair unit so that food hold. | all tim blocke PIC w od - ho to war ng on t it for n od - co one digit | es d by mops it move ite holding. mer not wo nit and harore than 4 d holding. al thermor | s, brooms, an ms. orking proper s contacted h hours after t hours after t meter display | d personal items. Ple ly. Please repair/repla dunt Brothers for repair baking, at which point | ase ensure all hand ace warmer so that air parts. Until they must be | | |
| | 21 22 | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) 3717-1-03.4(F)(1)(b) | | C C | Using a handwashing sink - accessible at Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been working repaired, ensure pizzas are not held in undiscarded. Time/temperature controlled for safety for Berg cooler in kitchen reads 37-40 F on the Please adjust/repair unit so that food hold chicken). Service call made during insperi | all tim blocke PIC w od - ho to war ng on t it for n od - co one digit | es d by mops it move ite holding. mer not wo nit and harore than 4 d holding. al thermor | s, brooms, an ms. orking proper s contacted h hours after t hours after t meter display | d personal items. Ple ly. Please repair/repla dunt Brothers for repair baking, at which point | ase ensure all hand ace warmer so that air parts. Until they must be | | |
| | 21 22 43 | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) 3717-1-03.4(F)(1)(b) | | C C C | Using a handwashing sink - accessible at Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been work repaired, ensure pizzas are not held in undiscarded. Time/temperature controlled for safety for Berg cooler in kitchen reads 37-40 F on the Please adjust/repair unit so that food hold chicken). Service call made during insperature and water temperature meast Berg cooler digital thermometer in kitchen. | all tim blocke PIC w d - ho to war ng on t it for n d - co me digi ls <41 ction. uring d | es If move ite holding. mer not wo nit and ha ore than 4 d holding. al thermor F. *PIC wil evice - acc | s, brooms, an ms. prking proper s contacted H hours after the meter display I discard all Teuracy | d personal items. Ple y. Please repair/repla dunt Brothers for repa paking, at which point but all food tempera CS food in cooler (ta | ase ensure all hand ace warmer so that hir parts. Until they must be tures were 52 F. rtar sauce and raw | | |
| | 21 22 | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) 3717-1-03.4(F)(1)(b) | | C C | Comment Using a handwashing sink - accessible at Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been workly repaired, ensure pizzas are not held in undiscarded. Time/temperature controlled for safety for Berg cooler in kitchen reads 37-40 F on the Please adjust/repair unit so that food hold chicken). Service call made during inspectations. | all tim blocke PIC w d - ho to war ng on t it for n d - co me digi ls <41 ction. uring d | es If move ite holding. mer not wo nit and ha ore than 4 d holding. al thermor F. *PIC wil evice - acc | s, brooms, an ms. prking proper s contacted H hours after the meter display I discard all Teuracy | d personal items. Ple y. Please repair/repla dunt Brothers for repa paking, at which point but all food tempera CS food in cooler (ta | ase ensure all hand ace warmer so that hir parts. Until they must be tures were 52 F. rtar sauce and raw | | |
| | 21 22 43 | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) 3717-1-03.4(F)(1)(b) 3717-1-04.1(L) | | C C C | Using a handwashing sink - accessible at Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been work repaired, ensure pizzas are not held in undiscarded. Time/temperature controlled for safety for Berg cooler in kitchen reads 37-40 F on the Please adjust/repair unit so that food hold chicken). Service call made during insperature and water temperature meast Berg cooler digital thermometer in kitchen. | all tim blocke PIC w d - ho to war ng on t it for n d - co me digi ls <41 ction. uring d | es If move ite holding. mer not wo nit and ha ore than 4 d holding. al thermor F. *PIC wil evice - acc | s, brooms, an ms. prking proper s contacted H hours after the meter display I discard all Teuracy | d personal items. Ple y. Please repair/repla dunt Brothers for repa paking, at which point but all food tempera CS food in cooler (ta | ase ensure all hand ace warmer so that air parts. Until they must be tures were 52 F. rtar sauce and raw | | |
| Per | 21 22 43 | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) 3717-1-03.4(F)(1)(b) | | C C C | Using a handwashing sink - accessible at Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been work repaired, ensure pizzas are not held in undiscarded. Time/temperature controlled for safety for Berg cooler in kitchen reads 37-40 F on the Please adjust/repair unit so that food hold chicken). Service call made during insperature and water temperature meast Berg cooler digital thermometer in kitchen. | all tim blocke PIC w d - ho to war ng on t it for n d - co me digi ls <41 ction. uring d | es If move ite holding. mer not wo nit and ha ore than 4 d holding. al thermor F. *PIC wil evice - acc | s, brooms, an ms. prking proper s contacted H hours after the meter display I discard all Teuracy | d personal items. Ple y. Please repair/repla dunt Brothers for repa paking, at which point but all food tempera CS food in cooler (ta | ase ensure all hand ace warmer so that hir parts. Until they must be tures were 52 F. rtar sauce and raw | | |
| En | 21 22 43 44 vironm | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) 3717-1-03.4(F)(1)(b) 3717-1-04.1(L) 3717-1-03.5(C) Charge | Pric | C C C | Using a handwashing sink - accessible at Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been worki repaired, ensure pizzas are not held in undiscarded. Time/temperature controlled for safety for Berg cooler in kitchen reads 37-40 F on the Please adjust/repair unit so that food hold chicken). Service call made during insperature and water temperature meass. Berg cooler digital thermometer in kitche Food labels. | all tim blocke PIC w d - ho to war ng on t it for n d - co me digi ls <41 ction. uring d | es If move ite holding. mer not wo nit and ha ore than 4 d holding. al thermor F. *PIC wil evice - acc | s, brooms, an ms. prking proper s contacted he hours after the meter display I discard all Touracy *Service call Licensor: | d personal items. Ple ly. Please repair/repla dunt Brothers for repa baking, at which point but all food tempera CS food in cooler (ta | ase ensure all hand ace warmer so that air parts. Until they must be tures were 52 F. rtar sauce and raw on. Date 10/31/2024 | | |
| En | 21 22 43 44 vironm | 3717-1-05.1(O)(1) 3717-1-03.4(F)(1)(a) 3717-1-03.4(F)(1)(b) 3717-1-04.1(L) 3717-1-03.5(C) | Pric | C C C | Using a handwashing sink - accessible at Hand wash sink near pizza prep cooler is sinks are accessible for use at all times. Time/temperature controlled for safety for Pizzas in warmer are only 115-135 F due pizzas hold >135 F. *PIC has been worki repaired, ensure pizzas are not held in undiscarded. Time/temperature controlled for safety for Berg cooler in kitchen reads 37-40 F on the Please adjust/repair unit so that food hold chicken). Service call made during insperature and water temperature meass. Berg cooler digital thermometer in kitche Food labels. | all tim blocke PIC w d - ho to war ng on t it for n d - co me digi ls <41 ction. uring d | es If move ite holding. mer not wo nit and ha ore than 4 d holding. al thermor F. *PIC wil evice - acc | s, brooms, an ms. prking proper s contacted he hours after the meter display I discard all Touracy *Service call Licensor: | d personal items. Ple ly. Please repair/repla dunt Brothers for repa baking, at which point but all food tempera CS food in cooler (ta | ase ensure all hand ace warmer so that air parts. Until they must be tures were 52 F. rtar sauce and raw on. Date 10/31/2024 | | |

As per HEA 5302B The Baldwin Group, Inc. (11/19) As per AGR 1268 The Baldwin Group, Inc. (11/19)

State of Ohio Continuation Report Authority: Chapters 3717 and 3715 Ohio Revised Code

| Name of I | Facility STREET EXPRI | ESS LLC | | Type of Inspection Date 10/31/2024 | | | |
|-----------|--------------------------|----------------|---|------------------------------------|---|-----|---|
| | | Mark "X" in | Observations and Corrective Actions (cappropriate box for COS and R: COS = corrected on-site duri | | riolation | | |
| Item No. | Code Section | Priority Level | Comment | | | cos | R |
| | | | Donuts in display case are not labeled on wrapper with their slabel. | name for ease of identification | n by customers. Please | | |
| 46 | 3717-1-03.2(R) | NC | Food storage - prohibited areas. | | | | |
| | | | Box of coffee stored under dump sink drain trap. Please do n | ot store food under sewer dra | ains. | | |
| 52 | 3717-1-04.8(F) | NC | Storage - prohibitions - single-use/single-service articles. | | | | |
| | | | Packaged straws stored under trap of hand wash sink in coff | ee area. Please do not store | single service items | | |
| | | | under sewer drains. | | omgre del troc Romo | | |
| 54 | 3717-1-04.3(B) | NC | Fixed equipment installation - spacing or sealing. | | | | |
| | | | Caulking is failing at base of mop sink and at back of restroo | m hand sinks. Please recaulk | to prevent water | | |
| | | | intrusion. | | , and the same of | 1 | |
| 62 | 3717-1-06.4(B) | NC | Cleaning - frequency and restrictions. | | | | × |
| | | | Dust and possible mold growth on walkin fan housings. Pleas | se clean. | | | |
| 62 | 3717-1-06.4(A) | NC | Repairing. | | | | |
| | | | Floor is damaged in front of pizza prep cooler and is covered | by cardboard and tape. Plea | se make a permanent | | |
| | | | repair that is smooth, non-absorbant, durable, and easily clea | anable. | | | |

Mank you!

| Person in Charge | | Date 10/31/2024 |
|----------------------------------|---|--------------------|
| RUSTY SCHWEPE, REHS RS/SIT# 2993 | Licensor: Sidney-Shelby County Health De | epartment |